



# CSAL INC. Copper State Analytical Lab

President D.A. Shah  
Since 1981

1050 Spire Dr. Ste I, Prescott, AZ 86305  
Phone: 928-443-5227 Fax: 928-443-5277  
www.prescottlab.com

Mark Ogram  
780 S. Freeman Rd  
Tucson, AZ 85748


Date Received: November 8, 2013  
Date Reported: November 21, 2013  
CSAL ID: 1113-166675  
Client ID: 10-30-S 720

## 35 Element ICP

Aluminum	%	6.32
Arsenic	ppm	45
Barium	%	0.5
Beryllium	ppm	<1
Bismuth	ppm	16
Calcium	%	26.74
Cadmium	ppm	6.9
Cobalt	ppm	58
Chromium	ppm	534
Copper	%	0.49%
Iron	%	7.6
Gallium	ppm	<1
Germanium	ppm	<1
Potassium	%	3.80
Lithium	ppm	<1
Magnesium	%	1.00
Manganese	%	0.44
Molybdenum	ppm	20

Sodium	%	1.48
Niobium	ppm	<1
Nickel	ppm	93
Lead	ppm	687
Sulfur	%	0.13
Antimony	ppm	12
Selenium	ppm	<1
Tin	ppm	50
Strontium	ppm	519
Tantalum	ppm	<1
Tellurium	ppm	<1
Titanium	%	<1
Thallium	ppm	<1
Uranium	ppm	<1
Vanadium	ppm	89
Tungsten	ppm	<1
Zinc	ppm	994

Key: ppm = Parts Per Million  
% = Percent  
Procedure: ICP scan was digested by 3 acids  
(Nitric, Hydrochloric, and Hydrofluoric).



Reported by: D.A. Shah / Laboratory Director  
EXPIRES 06/30/2016

This report is applicable only to the sample submitted by the customer. The liability of the laboratory is limited to the amount paid for this report. This report is for the exclusive use of the client to whom it is addressed and upon the condition that the client assumes all liability for the further distribution of the report or its contents.

President: D.A. Shah Parle1940@aol.com \* Lab Manager: Andrew Shah Andrew@prescottlab.com  
\* Arizona Registered Assayer #8888 Since 1972 \* \* Arizona Registered Assayer #50714 \*  
Any alteration or erasure voids this report.